

No	Brand	Deskripsi Perangkat	Jumlah	Satuan	Harga Satuan	Total Harga
1	Perangkat Utama					
<b>Office Utama &amp; R. Admin</b>						
<b>OUTDOOR CAMERA</b>						
1	Dahua	DH-IPC-HFW3541EP-AS 5-MP 1/2.7" CMOS image sensor, low luminance, and high definition image. Outputs max. 5 MP (2960 × 1668) @20 fps and supports 4MP (2688 × 1520) @25/30 fps.	1	unit	Rp 2.892.825	Rp 2.892.825
<b>Fisheye Panoramic Camera</b>						
2	Dahua	IPC-EB5541-AS >5MP, 1/2.7" CMOS image sensor, low illuminance, high image definition> Outputs max. 5MP (2592 × 1944) @25/30 fps >H.265 codec, high compression rate, ultra-low bit rate	1	unit	Rp 4.789.233	Rp 4.789.233
3	Dahua	PFB220C >Aesthetic design >Material: aluminum & PC >Ceiling mount bracket	1	unit	Rp 482.138	Rp 482.138
4	Dahua	PFA106 >Aesthetic design >Material: aluminum >Mount adapter	1	unit	Rp 144.641	Rp 144.641
<b>SWITCH 4 PORT + 2 PORT UPLINK</b>						
5	Dahua	PFS3006-4ET-60 > Layer two commercial switch> Supports IEEE802.3, IEEE802.3u, IEEE802.3ab and IEEE802.3x standards> MDI/MDIX self-adaptation > RJ-45 port supports 10/100 Mbps self-adaptation, and confirms to 802.3at, and 802.3af power supply standards	1	unit	Rp 653.976	Rp 653.976
<b>Gudang Wax Sulfur &amp; Gudang SCF</b>						
<b>OUTDOOR CAMERA</b>						
6	Dahua	DH-IPC-HFW3541EP-AS 5-MP 1/2.7" CMOS image sensor, low luminance, and high definition image. Outputs max. 5 MP (2960 × 1668) @20 fps and supports 4MP (2688 × 1520) @25/30 fps.	1	unit	Rp 2.892.825	Rp 2.892.825
<b>SWITCH 4 PORT + 2 PORT UPLINK</b>						
7	Dahua	PFS3006-4ET-60 > Layer two commercial switch> Supports IEEE802.3, IEEE802.3u, IEEE802.3ab and IEEE802.3x standards> MDI/MDIX self-adaptation > RJ-45 port supports 10/100 Mbps self-adaptation, and confirms to 802.3at, and 802.3af power supply standards	1	unit	Rp 653.976	Rp 653.976
<b>Compact</b>						
<b>INDOOR CAMERA</b>						
8	Dahua	DH-IPC-HDBW3541R-ZS-S2 5-MP 1/2.7" CMOS image sensor, low luminance, and high definition image. Outputs max. 5 MP (2960 × 1668) @20 fps and supports 4MP (2688 × 1520) @25/30 fps.	1	unit	Rp 3.728.530	Rp 3.728.530
<b>Fisheye Panoramic Camera</b>						
9	Dahua	IPC-EB5541-AS >5MP, 1/2.7" CMOS image sensor, low illuminance, high image definition> Outputs max. 5MP (2592 × 1944) @25/30 fps >H.265 codec, high compression rate, ultra-low bit rate	4	unit	Rp 4.789.233	Rp 19.156.930
10	Dahua	PFB220C >Aesthetic design >Material: aluminum & PC >Ceiling mount bracket	4	unit	Rp 482.138	Rp 1.928.550
11	Dahua	PFA106 >Aesthetic design >Material: aluminum >Mount adapter	4	unit	Rp 144.641	Rp 578.565

<b>SWITCH 8 PORT + 2 PORT UPLINK</b>						
12	Dahua	DH-PFS3010-8ET-96 8 x10/100M Base-T (PoE power supply) 2 x10/100/1000M Base-T; Port1≤60W, Port2-8≤30W, Total≤96W	1	unit	Rp 1.008.780	Rp 1.008.780
<b>Compond</b>						
<b>PTZ CCTV Equipment - 2MP 25x Starlight IR WizSense Network PTZ Camera</b>					Rp -	Rp -
13	Dahua	DH-SD5A225GB-HNR Deep-learning-based auto tracking Perimeter protection, Face Detection,SMD,1/2.8" 2Megapixel STARVIS™ CMOS Powerful 25x optical zoom,Max. 25/30 fps@2M IR distance up to 150 m,PoE+,IP67,IK10	1	unit	Rp 10.221.315	Rp 10.221.315
14	Dahua	PFB300C - Ceiling Mount Bracket For PTZ >Aesthetic design>Material: aluminum>Mount adapter	1	unit	Rp 257.140	Rp 257.140
15	Dahua	PFA111 - Mount Adaptor For PTZ >Aesthetic design >Material: aluminum >Mount adapter	1	unit	Rp 112.499	Rp 112.499
<b>OUTDOOR CAMERA</b>						
16	Dahua	DH-IPC-HFW3541EP-AS 5-MP 1/2.7" CMOS image sensor, low luminance, and high definition image.Outputs max. 5 MP (2960 × 1668) @20 fps and supports 4MP (2688 × 1520) @25/30 fps.	1	unit	Rp 2.892.825	Rp 2.892.825
<b>SWITCH 8 PORT + 2 PORT UPLINK</b>						
17	Dahua	PFS3006-4ET-60 > Layer two commercial switch> Supports IEEE802.3, IEEE802.3u, IEEE802.3ab and IEEE802.3x standards> MDI/MDIX self-adaptation > RJ-45 port supports 10/100 Mbps self-adaptation, and confirms to 802.3at, and 802.3af power supply standards	1	unit	Rp 653.976	Rp 653.976
<b>Gudang B</b>						
<b>OUTDOOR CAMERA</b>						
18	Dahua	DH-IPC-HFW3541EP-AS 5-MP 1/2.7" CMOS image sensor, low luminance, and high definition image.Outputs max. 5 MP (2960 × 1668) @20 fps and supports 4MP (2688 × 1520) @25/30 fps.	2	unit	Rp 2.892.825	Rp 5.785.650
<b>Fisheye Panoramic Camera</b>						
19	Dahua	IPC-EB5541-AS > 5MP, 1/2.7" CMOS image sensor, low illuminance, high image definition> Outputs max. 5MP (2592 × 1944) @25/30 fps > H.265 codec, high compression rate, ultra-low bit rate	3	unit	Rp 4.789.233	Rp 14.367.698
20	Dahua	PFB220C >Aesthetic design >Material: aluminum & PC >Ceiling mount bracket	3	unit	Rp 482.138	Rp 1.446.413
21	Dahua	PFA106 >Aesthetic design >Material: aluminum >Mount adapter	3	unit	Rp 144.641	Rp 433.924
<b>SWITCH 8 PORT + 2 PORT UPLINK</b>						
22	Dahua	DH-PFS3010-8ET-96 8 x10/100M Base-T (PoE power supply) 2 x10/100/1000M Base-T; Port1≤60W, Port2-8≤30W, Total≤96W	1	unit	Rp 1.008.780	Rp 1.008.780

Gudang C						
<b>Fisheye Panoramic Camera</b>						
23	Dahua	IPC-EB5541-AS > 5MP, 1/2.7" CMOS image sensor, low illuminance, high image definition> Outputs max. 5MP (2592 x 1944) @25/30 fps > H.265 codec, high compression rate, ultra-low bit rate	3	unit	Rp 4.789.233	Rp 14.367.698
24	Dahua	PFB220C >Aesthetic design >Material: aluminum & PC >Ceiling mount bracket	3	unit	Rp 482.138	Rp 1.446.413
25	Dahua	PFA106 >Aesthetic design >Material: aluminum >Mount adapter	3	unit	Rp 144.641	Rp 433.924
<b>SWITCH 4 PORT + 2 PORT UPLINK</b>						
26	Dahua	PFS3006-4ET-60 > Layer two commercial switch> Supports IEEE802.3, IEEE802.3u, IEEE802.3ab and IEEE802.3x standards> MDI/MDIX self-adaptation > RJ-45 port supports 10/100 Mbps self-adaptation, and confirms to 802.3at, and 802.3af power supply standards	1	unit	Rp 653.976	Rp 653.976
Gudang D						
<b>Fisheye Panoramic Camera</b>						
27	Dahua	IPC-EB5541-AS > 5MP, 1/2.7" CMOS image sensor, low illuminance, high image definition> Outputs max. 5MP (2592 x 1944) @25/30 fps > H.265 codec, high compression rate, ultra-low bit rate	3	unit	Rp 4.789.233	Rp 14.367.698
28	Dahua	PFB220C >Aesthetic design >Material: aluminum & PC >Ceiling mount bracket	3	unit	Rp 482.138	Rp 1.446.413
29	Dahua	PFA106 >Aesthetic design >Material: aluminum >Mount adapter	3	unit	Rp 144.641	Rp 433.924
<b>SWITCH 4 PORT + 2 PORT UPLINK</b>						
30	Dahua	PFS3006-4ET-60 > Layer two commercial switch> Supports IEEE802.3, IEEE802.3u, IEEE802.3ab and IEEE802.3x standards> MDI/MDIX self-adaptation > RJ-45 port supports 10/100 Mbps self-adaptation, and confirms to 802.3at, and 802.3af power supply standards	1	unit	Rp 653.976	Rp 653.976
Gudang E						
<b>OUTDOOR CAMERA</b>						
31	Dahua	DH-IPC-HFW3541EP-AS 5-MP 1/2.7" CMOS image sensor, low luminance, and high definition image. Outputs max. 5 MP (2960 x 1668) @20 fps and supports 4MP (2688 x 1520) @25/30 fps.	1	unit	Rp 2.892.825	Rp 2.892.825
<b>Fisheye Panoramic Camera</b>						
32	Dahua	IPC-EB5541-AS > 5MP, 1/2.7" CMOS image sensor, low illuminance, high image definition> Outputs max. 5MP (2592 x 1944) @25/30 fps > H.265 codec, high compression rate, ultra-low bit rate	6	unit	Rp 4.789.233	Rp 28.735.395
33	Dahua	PFB220C >Aesthetic design >Material: aluminum & PC >Ceiling mount bracket	6	unit	Rp 482.138	Rp 2.892.825
34	Dahua	PFA106 >Aesthetic design >Material: aluminum >Mount adapter	6	unit	Rp 144.641	Rp 867.848

<b>SWITCH 8 PORT + 2 PORT UPLINK</b>						
35	Dahua	DH-PFS3010-8ET-96 8 x10/100M Base-T (PoE power supply) 2 x10/100/1000M Base-T; Port1≤60W, Port2-8≤30W, Total≤96W	1	unit	Rp 1.008.780	Rp 1.008.780
<b>JALAN PEPAAYA</b>						
<b>OUTDOOR CAMERA</b>						
36	Dahua	DH-IPC-HFW3541EP-AS 5-MP 1/2.7" CMOS image sensor, low luminance, and high definition image. Outputs max. 5 MP (2960 × 1668) @20 fps and supports 4MP (2688 × 1520) @25/30 fps.	3	unit	Rp 2.892.825	Rp 8.678.475
<b>Hardened Switch Poe 4 Port (Industrial)</b>						
37	Dahua	DH-PFS3206-4P-96 > Two-layer unmanaged PoE switch > Cascade can be realized via SFP fiber port > MAC auto study and aging, MAC address list capacity is 8K	1	unit	Rp 2.039.813	Rp 2.039.813
<b>JALAN JAGUNG</b>						
<b>OUTDOOR CAMERA</b>						
38	Dahua	DH-IPC-HFW3541EP-AS 2-MP 1/2.8" CMOS image sensor, low luminance, and high definition image. Outputs max. 2 MP (1920 × 1080)@25/30 fps.H.265 codec, ROI, SMART H.264+/H.265+, flexible coding, applicable to various bandwidth and storage environments.Built-in IR LED, and the max. illumination distance is 30 m.	2	unit	Rp 2.892.825	Rp 5.785.650
<b>Hardened Switch Poe 4 Port (Industrial)</b>						
39	Dahua	DH-PFS3206-4P-96 > Two-layer unmanaged PoE switch > Cascade can be realized via SFP fiber port > MAC auto study and aging, MAC address list capacity is 8K	1	unit	Rp 2.039.813	Rp 2.039.813
<b>MEDIA RECORDING PUSAT (OFFICE UTAMA)</b>						
40	Dahua	DHI-NVR5432-EI (32 Chnl - 4 Slot HDD) Smart H.265+/H.265/Smart H.264+/H.264/MJPEG decoding format 32-channel 1080p self-adaptive decoding capability. Max. 384 Mbps incoming/recording/outgoing bandwidth. AI by recorder: 2-channel face detection and recognition, 4-channel perimeter protection, and 8-channel SMD Plus. AI by camera: Face detection and recognition, perimeter protection, SMD Plus, metadata, ANPR, stereo analysis, heat map, and people counting. Security baseline 2.3.	1	unit	Rp 11.474.873	Rp 11.474.873
41	Dahua	ST10000VE000 (HDD 10TB) - Skyhawk AI Seagate surveillance HDD/10TB/7200RPM/256MB/SATA 6Gb/s/RV Sensor/Dahua SkyHawk AI	4	unit	Rp 5.828.919	Rp 23.315.675
<b>II Material Consumable &amp; Aksesoris</b>						
1	Material Consumable & Aksesoris		1	unit	Rp 1.437.500	Rp 1.437.500
2	Tiang besi gantung panjang 4 meter		2	unit	Rp 1.150.000	Rp 2.300.000
3	Tiang kamera CCTV outdoor tinggi 3 meter + pangkon		10	unit	Rp 402.500	Rp 4.025.000
4	Box Panel PVC 30x25x24		1	pack	Rp 155.250	Rp 155.250
5	RJ45 Connector Cat6 100pcs		15	Box	Rp 1.955.000	Rp 29.325.000
6	Cable STP Cat 6		5	pack	Rp 80.500	Rp 402.500
7	Kabel ties 50cm		3	pack	Rp 28.750	Rp 86.250
8	Kabel ties 30cm		12	unit	Rp 48.300	Rp 579.600
9	Stop kontak listrik broco 3 lubang		12	unit	Rp 10.580	Rp 126.960
10	Steker listrik broco warna putih		500	Meter	Rp 40.250	Rp 20.125.000
11	Kabel listrik 3x2,5mm		150	Lonjor	Rp 25.875	Rp 3.881.250
12	Pipa conduit clipsall / boss		8	pack	Rp 115.000	Rp 920.000
13	Sock conduit 20mm 100pcs		6	pack	Rp 402.500	Rp 2.415.000
14	Flexible conduit 20mm 50m		1	pack	Rp 115.000	Rp 115.000
15	Klem conduit 20mm 100pcs		100	meter	Rp 17.250	Rp 1.725.000
<b>III</b>						
1	Kabel Fiber Optic 6 core					
<b>Jasa</b>						
1	Instalasi dan comissioning ( 8 orang x 14 hari )		1	Lot	Rp 23.000.000	Rp 23.000.000
2	Laporan & Dokumentasi		1	Lot	Rp 862.500	Rp 862.500
3	Mobilitas, Tools & APD		1	Lot	Rp 2.875.000	Rp 2.875.000
<b>I Total</b>						Rp 293.983.988
<b>II PPN 11%</b>						Rp 32.338.239
<b>III Grand Total</b>						Rp 326.322.226